

# ERRATUM

Turk J Obstet Gynecol 2017;14:23-7  
DOI: 10.4274/tjod.61482

## **The significance of reverse flow in ductus venosus between sixteen and twenty weeks' gestation**

*On altıncı ve yirminci gebelik haftaları arasında değerlendirilen duktus venozus ters akımının önemi*

**Gökhan Karakoç<sup>1</sup>, And Yavuz<sup>2</sup>, Serenat Eriş Yalçın<sup>2</sup>, Mehmet Özgür Akkurt<sup>2</sup>, Nuri Danışman<sup>3</sup>**

<sup>1</sup>University of Health Sciences, Etlik Zübeyde Hanım Women's Health Training and Research Hospital, Clinic of Perinatology, Ankara, Turkey

<sup>2</sup>Süleyman Demirel University Faculty of Medicine, Department of Perinatology, Isparta, Turkey

<sup>3</sup>Zekai Tahir Burak Women's Health Training and Research Hospital, Clinic of Perinatology, Ankara, Turkey

Nuri Danışman'ın yazar kurum bilgilerinin düzeltilmiş hali aşağıdaki gibidir;

**Gökhan Karakoç<sup>1</sup>, And Yavuz<sup>2</sup>, Serenat Eriş Yalçın<sup>2</sup>, Mehmet Özgür Akkurt<sup>2</sup>, Nuri Danışman<sup>3</sup>**

<sup>1</sup>University of Health Sciences, Etlik Zübeyde Hanım Women's Health Training and Research Hospital, Clinic of Perinatology, Ankara, Turkey

<sup>2</sup>Süleyman Demirel University Faculty of Medicine, Department of Perinatology, Isparta, Turkey

<sup>3</sup>Acıbadem University, Altunizade Hospital, Clinic of Perinatology, İstanbul, Turkey